

MILANTOAST

Power for good food

Tostapane a nastro
per fast food



The line heavy duty conveyor toaster for fast food

Hand made in Italy

MILANTOAST

Power for good food



TOSTATURA
ROASTING

CODICE CODE	LARG. NASTRO BELT WIDTH	BUN BUN	CADENZA FREQUENCY	TEMPI RISCALDAMENTO	KW	APERTURA OPENING	LxPxH WxDxH
18024	25 cm	2	12"	- 20" ~ 45"	2,30	5,8 cm	35x31x47
18033	37 cm	3	12"	- 20" ~ 45"	3,40	5,8 cm	47x41x47

La linea tostapane a nastro per fast food

The line heavy duty conveyor toaster for fast food



18024

TOSTAPANE A NASTRO PER FAST FOOD Fette di pane e buns per hamburger

STUDIATO PER LA TOSTATURA AUTOMATICA DI PANE, BAGEL, BUN, BRUSCHETTE FETTE DI PANE, FRESCO, SURGELATO O PRETAGLIATO

Ideale per ogni tipo di attività dove sia richiesta grande quantità di pane

Utilizzabile anche h 24 in fast food, catene burgerie, alberghi, villaggi turistici, parchi di intrattenimento.

Adatto all'impiego anche in cucine ed ambienti caldi. Larghezza della camera di tostatura 25/37 cm. Caricamento anteriore.

Uscita anteriore.

Ampia e alta zona anteriore di uscita del pane.

Nastro di trasporto pane in acciaio inossidabile.

Controlli di potenza separati (alto e basso): con tali controlli è possibile regolare con precisione il grado di tostatura del pane.

Interruttori per escludere il riscaldamento superiore e/o inferiore.

Elementi riscaldanti al quarzo.

Regolazione tempo riscaldamento da 20"-45".

Termostato di sicurezza riarmabile sul pannello.

Struttura e cassetto raccoglirociole in acciaio inox ad alto spessore. Struttura esterna fredda.

Smontaggio rapido scivolo posteriore. Tensione di alimentazione 220/240V 50 & 60Hz.

Il presente documento non costituisce elemento contrattuale. Soggetto a modifiche. Nomi e marchi registrati. Ultima revisione Settembre 2019



18033

HEAVY DUTY CONVEYOR TOASTER FOR FAST FOOD Suitable for slices of bread and buns for hamburgers

DESIGNED FOR AUTOMATIC TOASTING OF BAGELS, BUNS, BRUSCHETTA FRESH AND FROZEN BREAD SLICES OR PRECUT BREAD

Ideal for any activity for which huge quantity of bread (even h. 24) is needed: fast food, burger chains, hotels, touristic villages and entertainment parks. Suitable in settings such as professional kitchen.

Toasting chamber width: 25/37 cm.

Stainless steel conveyor belt. Front feeding. Front / rear delivery.

High and wide front loading area.

Independent upper and lower power regulation: with these controls is possible to set precisely the bread toasting level.

Switches to exclude upper and/or lower element.

Quartz heating elements

Warming time regulation: 20"-45". Restartable safety thermostat on the control panel. High gauge stainless steel construction.

Cold external structure.

Quick disassembling of the rear slide.

220/240V 50 & 60Hz.

This document has no contract value. Subject to changes. Names and brands registered. Edit September 2019.



MILAN TOAST srl
Via delle Industrie, 26
20884 Sulbiate (MB)
ITALIA

tel. +39.039.688.33.32
fax. +39.039.602.28.96
info@milantoast.com
www.milantoast.com

hand made in Italy

MILANTOAST

Power for good food



TOSTATURA
ROASTING

CODICE CODE	LARG. NASTRO BELT WIDTH	BUN BUN	CADENZA FREQUENCY	TEMPI RISCALDAMENTO	KW	APERTURA OPENING	LxPxH W x D x H
18035	37 cm	3	15"	- 50" ~ 105"	3,40	9,0 cm	47x50x50
18036	37 cm	3	12"	- 40" ~ 90"	2,99	8,2/5,9 cm	47x41x47



18035 Uscita posteriore
18035 Rear delivery



18035

TOSTAPANE A NASTRO PER FAST FOOD

Fette di pane e buns per hamburger

STUDIATO PER IL RISCALDAMENTO E TOSTATURA AUTOMATICA DI PANE, BAGEL, BUN, BRUSCHETTE FETTE DI PANE, FRESCO, SURGELATO O PRETAGLIATO

Ideale per ogni tipo di attività dove sia richiesta grande quantità di pane

Utilizzabile anche h 24 in fast food, catene burgerie, alberghi, villaggi turistici, parchi di intrattenimento.

Adatto all'impiego anche in cucine ed ambienti caldi. Larghezza della camera di tostatura 37 cm. Caricamento anteriore.

18035 uscita anteriore o posteriore, 18036 uscita solo anteriore.

Ampia e alta zona anteriore di uscita del pane.

Nastro di trasporto pane in acciaio inossidabile.

Controlli di potenza separati (alto e basso): con tali controlli è possibile regolare con precisione il grado di tostatura del pane. Interruttori per escludere il riscaldamento superiore e/o inferiore.

Elementi riscaldanti in acciaio inossidabile.

Regolazione tempo riscaldamento da 40"-105".

Termostato di sicurezza riarmabile sul pannello.

Struttura e cassetto raccoglibricioline in acciaio inox ad alto spessore. Struttura esterna fredda.

Smontaggio rapido scivolo posteriore. Tensione di alimentazione 220/240V 50 & 60Hz (su richiesta disponibile 400 V 3N).

Il presente documento non costituisce elemento contrattuale. Soggetto a modifiche. Nomi e marchi registrati. Ultima revisione Settembre 2019



18036

HEAVY DUTY CONVEYOR TOASTER FOR FAST FOOD

Suitable for slices of bread and buns for hamburgers

DESIGNED FOR AUTOMATIC OF BAGELS, BUNS, WARMING AND TOASTING, BRUSCHETTA FRESH AND FROZEN BREAD SLICES OR PRECUT BREAD

Ideal for any activity for which huge quantity of bread (even h. 24) is needed : fast food, burger chains, hotels, touristic villages and entertainment parks. Suitable in settings up to + 35°C such as professional kitchen.

Toasting chamber width: 37 cm.

Stainless steel conveyor belt. Front feeding. code 18035 front or rear delivery code 18036 inly front delivery.

High and wide front loading area.

Independent upper and lower power regulation: with these controls is possible to set precisely the bread toasting level. Switches to exclude upper and/or lower element. Stainless steel heating elements.

Warming time regulation: 40"-105". Restartable safety thermostat on the control panel. High gauge stainless steel construction. Cold external structure.

Quick disassembling of the rear slide.

220/240V 50 & 60Hz (400 V 3N available on request with extra cost).

This document has no contract value. Subject to changes. Names and brands registered. Edit September 2019.

La linea tostapane a nastro per fast food
The line heavy duty conveyor toaster for fast food



MILAN TOAST srl
Via delle Industrie, 26
20884 Sulbiate (MB)
ITALIA

tel. +39.039.688.33.32
fax. +39.039.602.28.96
info@milantoast.com
www.milantoast.com

hand made in Italy

Esecuzioni speciali Taylor made production



NEW TODAY - AGRATE B.ZA

MILANTOAST

Power for good food

MILAN TOAST srl
Via delle Industrie, 26
20884 Sulbiate (MB)
ITALIA

tel. +39.039.688.3332
fax. +39.039.602.28.96
info@milantoast.com
www.milantoast.com

hand made in Italy